

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(reliable or reliability) and ((startup or initialization) with time) and (RAM or (random adj access adj memory)) and (integrity with (storage or memory)) and (sampl\$3 or interval) and temperature and sens\$3 and (failure with rate) and index and condens\$3 and air and diode and (ambient with temperature) and stress	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:48
S2	2697	(reliable or reliability).ab. and sens\$3 and (memory or storage) and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:50
S3	13	(electric and component and (reliable or reliability)).ab. and sens\$3 and (memory or storage) and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:50
S4	49	(electric\$2 and component and (reliable or reliability)).ab. and sens\$3 and (memory or storage) and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:52
S5	0	S4 and ((MTBF) or (mean adj time adj between adj failure))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 16:53
S6	2301	((MTBF) or (mean adj time adj between adj failure))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/05 12:35
S7	1344	S6 and reliability	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:00
S8	496	S7 and sensor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:00
S9	346	S8 and temperature	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:01
S10	90	S9 and (RAM or (random adj access adj memory))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:33
S11	1359	weibull	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 10:12
S12	565	S11 and (reliable or reliability)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/04/19 17:34

EAST Search History

S13	6	(US-20040186927-\$ or US-20040044499-\$).did. or (US-6385739-\$ or US-6199018-\$ or US-6671647-\$ or US-5715180-\$). did.	US-PGPUB; USPAT	OR	ON	2006/04/20 15:17
S14	1	S13 and air	US-PGPUB; USPAT	OR	ON	2006/04/20 15:18
S15	0	S13 and integrity	US-PGPUB; USPAT	OR	ON	2006/04/20 15:24
S16	0	efficient with integrity with check with (ROM or flash or (non adj volatile))	US-PGPUB; USPAT	OR	ON	2006/04/20 15:25
S17	0	efficient with integrity with check\$3 with (ROM or flash or (non adj volatile))	US-PGPUB; USPAT	OR	ON	2006/04/20 15:25
S18	0	advantag\$4 with integrity with check\$3 with (ROM or flash or (non adj volatile))	US-PGPUB; USPAT	OR	ON	2006/04/20 15:25
S19	14	ensure with integrity with check\$3 with (ROM or flash or (non adj volatile))	US-PGPUB; USPAT	OR	ON	2006/04/20 15:49
S20	1644	(temperature with sensor with air with intake) and (temperature with sensor with air with exhaust)	US-PGPUB; USPAT	OR	ON	2006/04/20 15:51
S21	26	((temperature with sensor with air with intake) same (ensure or advantag\$4 or efficient\$2)) and (temperature with sensor with air with exhaust)	US-PGPUB; USPAT	OR	ON	2006/04/20 16:01
S22	13	((temperature with sensor with air with intake) same reliab\$4) and (temperature with sensor with air with exhaust)	US-PGPUB; USPAT	OR	ON	2006/04/20 16:03
S23	21	((temperature with sensor with intake) same reliab\$4) and (temperature with sensor with exhaust)	US-PGPUB; USPAT	OR	ON	2006/04/20 16:35
S24	968	(702/183).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/04/20 16:35
S25	366	(702/181).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/04/20 16:35
S26	5359	"line card"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:21
S27	279	"line card" with test\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:21

EAST Search History

S28	250	("line card" with test\$4) and network	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:29
S29	27	("line card" with test\$4).ab. and network	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:41
S30	27	("line card" with test\$4).ab. and network and ("line card" with test\$4)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/04/20 18:41
S31	8	weibull adj law	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 10:12
S32	10786	humidity adj sensor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 11:43
S33	73	(humidity adj sensor) same expected	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 11:49
S34	305	(humidity adj sensor) and "702"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 11:55
S35	379	(humidity adj sensor) and (humid\$4 with reliab\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 11:56
S36	224	(humidity adj sensor) same (humid\$4 with reliab\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 12:16
S37	0	transistor adj utilization adj percentage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 12:17
S38	3	bandwidth adj usage adj percentage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/21 12:17
S39	10879	((MTF) or (mean adj time adj3 failure))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 09:21
S40	443	S39 and (failure adj rate)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/05 12:37
S41	62	S40 and "702"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 09:22
S42	739	(input\$4 or enter\$4) with ((MTF) or (MTTF) or (MTBF) or (mean adj time adj3 failure))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 14:19

EAST Search History

S43	25	S42 and "702"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 09:22
S44	59	("20020072988" "20020143564" "20020156692" "20030036939" "20030216888" "20040019577" "4744026" "4908775" "5216612" "5295065" "5311562" "5331579" "5343388" "5434775" "5596507" "5630070" "5710723" "5737728" "5754451" "5778381" "5826236" "5877961" "5890133" "5918219" "5920846" "5931878" "5963911" "5970437" "5987474" "5995915" "6014633" "6038539" "6067486" "6078912" "6101481" "6110214" "6128543" "6175934" "6192325" "6230200" "6230480" "6308162" "6321207" "6349274" "6418361" "6496814" "6571158" "6580982" "6598940" "6606546" "6671593" "6678716" "6684136" "6691006" "6691064" "6738748" "6801820" "6810406" "6820038").PN. OR ("7124059"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/07 10:11
S45	5	S44 and ((MTF) or (MTTF) or (MTBF) or (mean adj time adj3 failure) or (failure with rate))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 10:12
S46	31	S42 and (failure with rate)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 10:33
S47	89	(input\$4 or enter\$4) with ((MTF) or (MTTF) or (MTBF) or (mean adj time adj3 failure)) and ((adjust\$4 or update\$4) with ((MTF) or (MTTF) or (MTBF) or (mean adj time adj3 failure)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/07 14:20
S48	121	(communication adj4 capacity adj4 utiliz\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 12:32
S49	24	S48 and test\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 13:47
S50	5	(test\$3 with communication with traffic) same expect\$3 same actual\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 14:30

EAST Search History

S51	32	reciprocal with temperature with stress	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 14:30
S52	0	reciprocal with temperature with stress with actual with expected	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 14:30